










Product Family
Miller Lanyards (AUS)

A variety of shock-absorbing lanyards are available













Visit MillerFallProtection.com >



Product Numbers & Ordering Information

Product Numbers	Details
 L11WEC2.0	Webbing energy absorbing lanyard "35mm polyester webbing, integral compact energy absorber. 2mtrs in length with 19mm opening double acting hooks each end. Certified to AS/NZS 1891.1-2007"
 L11WEC1.5	Webbing energy absorbing lanyard "35mm polyester webbing, integral compact energy absorber. 1.5mtrs in length with 19mm opening double acting hooks each end. Certified to AS/NZS 1891.1-2007"
 L11WEC1.2	Webbing energy absorbing lanyard "35mm polyester webbing, integral compact energy absorber. 1.2mtrs in length with 19mm opening double acting hooks each end. Certified to AS/NZS 1891.1-2007"
 L15WEC	Compact webbing energy absorber "Compact energy absorber, with soft eyes each end. 600mm total length. Certified to AS/NZS 1891.1-2007"
 L26WEC2.0	Webbing Tie Back Lanyard Tie Back webbing lanyard with integral energy absorber. 19mm opening hook at energy absorber end and tie back hook other. Certified to AS/NZS 1891.1-2007 when used as a standard lanyard.
 LD11WEC1.2	Double webbing energy absorbing lanyard "35mm polyester webbing, double lanyard with integral compact energy absorber. 1.2mtrs in length with 19mm opening double acting hooks on all legs. Certified to AS/NZS 1891.1-2007"
 LD11WEC2.0	Double webbing energy absorbing lanyard "35mm polyester webbing, double lanyard with integral compact energy absorber. 2mtrs in length with 19mm opening double acting hooks on all legs. Certified to AS/NZS 1891.1-2007"

Miller Lanyards (AUS)

	LD12WEC2.0	<p>Double webbing energy absorbing lanyard</p> <p>"35mm polyester webbing, double lanyard with integral compact energy absorber. 2mtrs in length with 19mm opening double acting hook at energy absorber and 64mm scaffold hooks on other legs. Certified to AS/NZS 1891.1-2007"</p>
	M1010004	<p>Adjustable webbing lanyard</p> <p>Adjustable polyester webbing lanyard with printed increments every 200mm. 2mtrs in length with 19mm hooks at each end. Adjustment is 800mm up to 2mtrs. Certified to AS/NZS 1891.1-2007</p>
	M1010005	<p>Adjustable webbing lanyard</p> <p>Adjustable polyester webbing lanyard with printed increments every 200mm. 2mtrs in length with 19mm hook at energy absorber and 55mm scaffold hook other end. Adjustment is 850mm up to 2mtrs. Certified to AS/NZS 1891.1-2007</p>
	M1010006	<p>Adjustable webbing lanyard</p> <p>Adjustable polyester webbing lanyard with printed increments every 200mm. 2mtrs in length with triple acting karabiners at each end. Adjustment is 800mm up to 2mtrs. Certified to AS/NZS 1891.1-2007</p>
	STRETCHSTOP	<p>Stretch energy absorbing lanyard</p> <p>A unique stretchable design that minimises the length of the lanyard preventing tripping or snagging. 2mtr length with 19mm hooks at each end. Certified to AS/NZS 1891.1-2007</p>
	L12SEC2.0	<p>Stretch energy absorbing lanyard</p> <p>A unique stretchable design that minimises the length of the lanyard preventing tripping or snagging. 2mtr length with 19mm hooks at energy absorber and 64mm scaffold hook other end. Certified to AS/NZS 1891.1-2007</p>
	L11SEC1.5	<p>Stretch energy absorbing lanyard</p> <p>"A unique stretchable design that minimises the length of the lanyard preventing tripping or snagging. 1,5mtr length with 19mm hooks at each end. Certified to AS/NZS 1891.1-2007"</p>
	LD18SEC2.0	<p>Double Stretch energy absorbing lanyard</p> <p>"A unique stretchable design that minimises the length of the lanyard preventing tripping or snagging. Double lanyard twin leg, 2mtr length with 19mm hook at energy absorber and 56mm scaffold hooks on all legs. Certified to AS/NZS 1891.1-2007"</p>
	M1010024	<p>Manyard energy absorbing Lanyard</p> <p>"The Manyard lanyard is unsurpassed in the market for safety, comfort and mobility. Specially woven shock absorbing inner core reduces fall forces. 2mtr length with 19mm hooks each end. Certified to AS/NZS 1891.1-2007"</p>
	L11REC2.0	<p>Rope energy absorbing lanyard</p> <p>12mm polyester rope lanyard with integral energy absorber and 19mm double acting hooks each end. Certified to AS/NZS 1891.1-2007</p>
	L11PEC2.0	<p>Plastic coated wire energy absorbing lanyard</p> <p>"11mm plastic coated galvanised wire lanyard, with integral compact energy absorber. 19mm double acting hooks each end. Certified to AS/NZS 1891.1-2007"</p>
	L11KEC2.0	<p>KMAX Kevlar energy absorbing lanyard</p> <p>Flame retardant Kevlar webbing lanyard with integral compact energy absorber. 19mm hooks each end. Certified to AS/NZS 1891.1-2007</p>

Miller Lanyards (AUS)



LD11KEC2.0

Double KMAX Kevlar energy absorbing lanyard

"Flame retardant double, twin leg Kevlar webbing lanyard with integral compact energy absorber. 19mm hooks on all legs. Certified to AS/NZS 1891.1-2007"



LA11KEC2.0

Adjustable KMAX Kevlar energy absorbing lanyard

Flame retardant adjustable Kevlar webbing lanyard with integral compact energy absorber. Adjustment is 800mm to 2mtrs. 19mm hooks each end. Certified to AS/NZS 1891.1-2007



L28PEC2.0

Plastic Coated Wire Lanyard



L11FEC2.0

L_ FEC Sharp Edge Lanyards Range



L28FEC2.0

L_ FEC Sharp Edge Lanyards Range



LA11FEC2.0

L_ FEC Sharp Edge Lanyards Range



LA28FEC2.0

L_ FEC Sharp Edge Lanyards Range



M1010034

Adjustable Kernmantle Rope Lanyards



M1010056

Adjustable Kernmantle Rope Lanyards



M1010057

Adjustable Kernmantle Rope Lanyards



M1010043

Adjustable Kernmantle Rope Lanyards



M1010054

Single Adj Lanyard SE SS Fittings



M1010065

2M Adj S.Edge Lan RA+TAK



M1010070

Sharp Edge Lanyard with Rope Adjuster



M1010071

Sharp Edge Lanyard with Rope Adjuster



M1010077

Sharp Edge Lanyard with Rope Adjuster

Additional Information

Miller lanyards offer a choice of terminations to suit your application. The energy absorber acts to keep the force of a sustained fall to under 6kN.

Overview

Key Features

The Miller range of fall arrest lanyards features a range of products to suit every fall protection requirement through most industries. From unique products such as the Miller Manyard with an internal energy absorber, to the ever popular Stretchstop stretch style lanyard, the range is available in various lengths, styles and terminations. Single lanyards are generally used in various fall arrest situations, and are designed to limit the force of a sustained fall to under 6kN. Double webbing lanyards are generally used to access different areas of a building or tower without being disconnected, and are the perfect way to be connected to an anchorage point at all times.

Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Food Services
- Forestry
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Steel and Metals
- Transportation
- Utilities

Hazards

- Confined Space
- Fall from height

Regulations

- Certified to Australian Standards AS/NZS 1891.1 - 2007

Warranty Information

MILLER FALL PROTECTION PRODUCT TOTAL SATISFACTION ASSURANCE At Sperian Protection, we have been providing quality Miller brand fall protection equipment to millions of workers worldwide since 1945. LIMITED LIFETIME WARRANTY BACKED BY OVER 60 YEARS IN THE FALL PROTECTION BUSINESS We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous tests to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 1300 139 166 (Aust customers) or 0800 322 200 (NZ customers) Manufacturing specifications are subject to change without notice.

Specifications

Material: Webbing Lanyards

- 35mm polyester webbing

Material: Rope Lanyards

- 12mm polyester rope

Material: Plastic coated wire Lanyards

- 11mm galvanised wire coated in plastic

Material: Stretchstop & Manyard Lanyards

- Polyester tubular webbing

Material: KMAX Lanyards

- 100% Kevlar

Literature & Documents

M1010070 Sharp Edge Lanyard with Rope Adjuster AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999161/1033.aspx

M1010065 2M Adj S Edge Lan RA TAK AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999160/1033.aspx

M1010054 Single Adj Lanyard SE SS Fittings 160KG AUS NZ

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999159/1033.aspx

M1010034 56 43 Adjustable Kernmantle Rope Lanyards AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999158/1033.aspx

L FEC Sharp Edge Lanyards Range AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999156/1033.aspx

L28PEC2 0 Plastic Coated Wire Lanyard Special AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999155/1033.aspx

L11KEC20 KMAX Welders Lanyard AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/4294998787/1033.aspx

M1010004 5 6 Adjustable Lanyards AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/4294998792/1033.aspx

Data Sheet Miller Lanyard Compat Energy Absorber L15WEC - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/15963/1033.aspx

LA11KEC2 0 Adjustable KMAX Welders Lanyard AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/4294998789/1033.aspx

LD11KEC2 0 Double KMAX Welders Lanyard AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/4294998790/1033.aspx

M1010024 Manyard AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/4294998793/1033.aspx

L26WEC20 Tie Back Lanyard AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/4294998788/1033.aspx

L Webbing Lanyards w Energy Absorber 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards

/4294998791/1033.aspx

STRETCHSTOP L Lanyard Range AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/4294998794/1033.aspx

Instructions Lanyard Product booklet - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/15703/1033.aspx

Instructions Miller Lanyard Inspection and Maintenance procedure - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/15702/1033.aspx

Miller Industry Fall Protection Guide Poster - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/24943/1033.aspx

L11KEC20 KMAX Welders Lanyard AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999043/1033.aspx

L11PEC20 Plastic Coated Wire Lanyard AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999044/1033.aspx

L26WEC20 Tie Back Lanyard AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999045/1033.aspx

LA11KEC2 0 Adjustable KMAX Welders Lanyard AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999046/1033.aspx

LD11KEC2 0 Double KMAX Welders Lanyard AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999047/1033.aspx

L__ Webbing Lanyards w Energy Absorber - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999048/1033.aspx

M1010004_5_6 Adjustable Lanyards AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999049/1033.aspx

M1010024 Manyard AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999050/1033.aspx

L11REC20_PEC20 Energy Absorbing Rope_Wire Lanyards AUS NZ - 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4294999081/1033.aspx

Training & Proper Use

Please refer to product instruction sheets included with the products prior to use.

Additional Information

marketing.australia@sperianprotection.com or ph: 1300 139 166

Technical Support

